

UNIT 7 *Number Patterns and Sequences*

Activities

Activities

- 7.1 Fibonacci's Sequence
- 7.2 Lines
- 7.3 Regular Polygons
- 7.4 Towers

ACTIVITY 7.2

Lines


If three lines are arranged as in the diagram, there are seven regions formed, with three crossover points.

This investigation looks at the relationship between

- the number of lines, n

and the maximum number of

- crossover points
- regions.




1. Draw similar diagrams to find the maximum number of crossover points and regions for:
 - (a) 2 lines
 - (b) 4 lines
 - (c) 5 lines.
2. Predict the result for:
 - (a) 6 lines
 - (b) 7 lines.

Extension

- (a) Generalise your results and write down formulae for the maximum number of crossovers and regions.
- (b) Use the formulae to predict the maximum number of crossover points and regions for:
 - (i) 20 lines
 - (ii) 100 lines.

ACTIVITY 7.3*Regular Polygons*



Here is a sequence of regular polygons. Let u_n be the number of sides of the n th shape in the sequence. You can see that:

$$u_1 = 3, \quad u_2 = 4, \quad \dots$$

-
1. What is the value of u_5 and u_6 ?
 2. What is the general formula for u_n ? Check your answer for u_7 .
 3. How many diagonals can be drawn from a single vertex in each of the shapes above?
 4. How many diagonals can be drawn from a vertex of the n th shape in the sequence?
 5. How many diagonals in total can be drawn in each of the shapes above?
-

Extension

How many diagonals in total can be drawn in the n th shape?


ACTIVITY 7.4

Towers


We will investigate how many cubes are needed to build towers like these, where the 'towers' are made up of a series of steps up to the pinnacle.



1



2



3

1. How many cubes are needed for each of the towers above?
2. For tower '3', how many cubes are needed for each layer?
3. For tower '4', how many cubes are needed for the bottom layer? How many are needed for the whole tower?

You can present the information and predict how many cubes are needed by taking first and second differences, as shown below. First copy the table; include your answers to questions 2 and 3 together with any other information this leads to.

<i>Tower No.</i>	<i>1</i>	<i>2</i>	<i>3</i>	<i>4</i>	<i>5</i>	<i>6</i>
No. of cubes needed	1	6	?	?	?	?
1st difference		5	?	?	<i>x</i>	<i>y</i>
2nd difference			4	4	4	4

4. If the 2nd difference remains constant, what is the value of
 - (a) *x*
 - (b) *y*?
5. Hence deduce the number of cubes needed for tower '5' and tower '6'.

Extension

How many cubes are needed for tower '10'?

ACTIVITIES 7.1 - 7.4

Notes and Solutions

Notes and solutions are given only where appropriate.

7.1 1. 55, 89, 144, 233, 377, 610, 987

2. Differ by 1

Extension

(a) 2, 5, 7, 12, 19, 31, 50, 81, 131

(b) 1, 3, 4, 7, 11, 18, 29, 47, 76

7.2 1. (a) 1, 4 (b) 6, 11 (c) 10, 16

2. (a) 15, 22 (b) 21, 29

Extension

(a) $\frac{n(n-1)}{2}$, $\frac{n(n+1)}{2} + 1$ (b) (i) 190, 211 (ii) 4950, 5051

7.3 1. 7, 8

2. $u_n = n + 2$

3. 0, 1, 2, 3

4. $n - 1$

5. 0, 2, 5, 9

Extension

$\frac{1}{2}(n-1)(n+2)$

7.4 1. 1, 6, 15

2. 1, 5, 9

3. 13, 28

4. (a) 17 (b) 21

5. 45, 66

6. 190